


IVA 28


CNC MACHINING



SAMPLE PARTS

IVA 28

CNC MACHINING



Contract manufacturing:

CNC milling of prismatic parts

- **Dimension:** X=1250, Y=800, Z=800
- **Weight:** up to 1200 kg
- **Lot size:** 3–5 pieces per order
- **Distance tolerance:** 0.01
- **Form tolerance:** 0.004
- **Material:** Grey cast iron, Nodular Iron, Aluminium, Steel
- **Technology:** CAD, CAM, CNC, CMM
- **Axis control:** 3, 4 and 5 axis machines
- **Control:** 3D Measuring machine

We have possibilities that extend beyond these limitations, and these options are evaluated on a case-by-case basis.

Contact

Bojan Ercevic, Dipl.-Ing.
Tel 00 381 11 4159 962
Fax 00 381 11 4159 989
bojan.ercevic@iva28.rs
www.iva28.rs

Registered address

IVA 28 d.o.o.
Jurija Gagarina 231/322
RS-11070 Novi Beograd
Serbia

Plant


IVA 28 d.o.o.
Industrijska bb
RS-11500 Obrenovac, Urovc
Serbia

Casting
1 / 8


Welded construction

Aluminium


Steel plate




870 × 757 × 584 mm
501.7 kg




597 × 529 × 379 mm
247.8 kg




645 × 361 × 174 mm
128.2 kg



992 × 595 × 327 mm
285.9 kg



1121 × 1051 × 500 mm
563.9 kg




465 × 357 × 340 mm
214.9 kg

Casting
2 / 8


Welded construction

Aluminium


Steel plate




888 × 820 × 735 mm
518.9 kg




532 × 395 × 357 mm
219.2 kg




861 × 650 × 200 mm
298.0 kg



780 × 637 × 148 mm
116.8 kg



500 × 500 × 75 mm
99.0 kg




630 × 500 × 75 mm
130.7 kg

Casting
3 / 8


Welded construction

Aluminium


Steel plate




1108 × 1067 × 535 mm
1495.4 kg




740 × 730 × 671 mm
722.9 kg




190 × 161 × 155 mm
7.9 kg



1250 × 600 × 496 mm
573.4 kg



1085 × 696 × 522 mm
639.5 kg




510 × 432 × 358 mm
189.0 kg

Casting
4 / 8


Welded construction

Aluminium


Steel plate




1060 × 880 × 455 mm
1092.2 kg




1061 × 955 × 480 mm
1180.1 kg




476 × 396 × 180 mm
153.2 kg



1025 × 690 × 574 mm
531.1 kg



661 × 617 × 450 mm
318.8 kg




1018 × 747 × 553 mm
666.5 kg

Casting
5 / 8


Welded construction

Aluminium


Steel plate




893 × 746 × 494 mm
424.4 kg




1871 × 600 × 351 mm
447.4 kg




670 × 405 × 185 mm
159.2 kg



624 × 587 × 555 mm
232.8 kg



650 × 550 × 186 mm
191.5 kg




760 × 485 × 209 mm
159.5 kg

Casting
6 / 8


Welded construction

Aluminium


Steel plate




727 × 697 × 395 mm
384.9 kg




1364 × 1325 × 509 mm
1000.1 kg




870 × 830 × 300 mm
315.0 kg



623 × 557 × 381 mm
275.9 kg



575 × 455 × 389 mm
242.0 kg




1110 × 386 × 263 mm
168.8 kg

Casting
7 / 8


Welded construction

Aluminium


Steel plate




1232 × 901 × 509 mm
604.3 kg




700 × 565 × 342 mm
289.9 kg




716 × 454 × 257 mm
141.6 kg



800 × 304 × 148 mm
232.9 kg



480 × 376 × 107 mm
83.3 kg




591 × 500 × 164 mm
149.0 kg

Casting
8 / 8


Welded construction

Aluminium


Steel plate




715 × 454 × 262 mm
154.2 kg




835 × 719 × 270 mm
257.2 kg




625 × 591 × 173 mm
165.3 kg



870 × 830 × 337 mm
696.5 kg



700 × 610 × 383 mm
291.5 kg




692 × 408 × 234 mm
157.7 kg

Casting


Welded construction
1 / 3

Aluminium


Steel plate




1100 × 396 × 239 mm
122.4 kg




1060 × 678 × 410 mm
68.5 kg




773 × 355 × 197 mm
70.3 kg



893 × 825 × 316 mm
417.1 kg



1100 × 396 × 238 mm
120.0 kg




1010 × 603 × 202 mm
126.7 kg

Casting


Welded construction
2 / 3

Aluminium


Steel plate




897 × 795 × 320 mm
347.2 kg




1060 × 396 × 238 mm
115.9 kg




1097 × 396 × 240 mm
120.4 kg



857 × 660 × 305 mm
195.5 kg



567 × 313 × 283 mm
25.9 kg




730 × 670 × 150 mm
237.0 kg

Casting


Welded construction
3 / 3

Aluminium


Steel plate




705 × 600 × 566 mm
241.5 kg




520 × 480 × 145 mm
66.1 kg




644 × 500 × 497 mm
224.5 kg



533 × 507 × 157 mm
16.1 kg



701 × 492 × 291 mm
91.5 kg




686 × 510 × 235 mm
145.3 kg

Casting


Welded construction

Aluminium
1 / 1


Steel plate




621 × 437 × 437 mm
122.7 kg




456 × 450 × 300 mm
56.2 kg




696 × 635 × 475 mm
142.3 kg



620 × 596 × 475 mm
127.4 kg



620 × 596 × 475 mm
127.4 kg




575 × 463 × 455 mm
119.2 kg

Casting


Welded construction

Aluminium


Steel plate
1/1




760 × 596 × 105 mm
220.6 kg




425 × 317 × 207 mm
138.8 kg




602 × 375 × 61 mm
42.8 kg



790 × 550 × 47 mm
93.9 kg



856 × 849 × 63 mm
157.1 kg



560 × 555 × 65 mm
94.5 kg



IVA 28 d.o.o.

Jurija Gagarina 231/322, 11070 Novi Beograd, Serbia
www.iva28.rs; E-mail: office@iva28.rs
Phone: +381 11 4159 960 ; Fax: +381 11 4159 989